



Our range of Brushstrip consists of six brush section sizes with trim lengths from 10mm to 120mm, All standard sections are filled with black nylon, a hard wearing material with excellent recovery properties well able work in Temperatures ranges from -40C up to 100C.

The aluminium fixing carrier is available with the fixing at 45, 90 or 180 degrees. All brushstrip and aluminium sections are stocked in 3.0 meter lengths. Shorter lengths are also available.

None standard Types available to order including different brush material types.

Below is our bottom Bumperseal and side Rollerseal

Roller Shutter Kits

Bottom - Bumperseal.

Clip on EPDM rubber 'D' section - no mechanical fixings. Helps prevent draughts, door vibration etc.


Sides - Rollerseal.

Clip on PVCU carrier with brush insert - no mechanical fixings. Prevents draughts, door vibration etc.

Top - Brushseal. (not shown)

Standard straight brush strip. Fitted to overhead lintel to seal to the face of the door.





Gemengd haar mixed hair Poil Mixte Gemischtes haar		Kleur Colour Couleur Farben	Kunstvezel Monofilament Monofilamente Kunstborsten		Kleur Colour Couleur Farben	Profiel Profile Profil Profil	
---	---	--------------------------------------	---	---	--------------------------------------	--	---


30% Paardenhaar+70%
PPN 0.20
30% horsetailhair+70%
PPN 0.20
30% Crin+70% PPN 0.20
30% Rosshaar+70% PPN
0.20

Bruin/Zwart
Brown/Black
Brun/Noir
Braun/Schwarz
Nylon of PPN 0.20
Nylon or PPN 0.20
Nylon ou PPN 0.20
Nylon oder PPN 0.20

Zwart
Black
Noir
Schwarz
1= Band
verzinkt
1= Tie zinc
1= Lien zinc
1= Band
verzinkt
3=
Aluminium
brut
3=
Aluminium
brut


2= Draad
gegloeid
2= Brushwire
annealed
2= Fil recuit
2= Draht
geglüht
3=
Aluminium
brut
3=
Aluminium
brut

Type Ah5 15 mm




Maat Size Messure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern	1000 mm	2200 mm	3000 mm
h1 = 36.5mm		Gemengd haar	02.50.019	02.50.020	02.50.021
h2 = 13 mm		Mixed hair	02.50.019	02.50.020	02.50.021
h3 = 5.5 mm		Poil mixte	02.50.019	02.50.020	02.50.021
h4 = 15 mm	-0.0 mm/+ 0.5 mm	Gemischtes haar	02.50.019	02.50.020	02.50.021
b1 = 7.5 mm		Nylon 0.20	02.50.512		02.50.513
Length, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.406
Longueur, Länge					

Type Ah5 20 mm




Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern	1000 mm	2200 mm	3000 mm
h1 = 41.5mm		Gemengd haar	02.50.022	02.50.024	02.50.025
h2 = 13 mm		Mixed hair	02.50.022	02.50.024	02.50.025
h3 = 5.5 mm		Poil mixte	02.50.022	02.50.024	02.50.025
h4 = 20 mm	-0.0 mm/+ 0.5 mm	Gemischtes haar	02.50.022	02.50.024	02.50.025
b1 = 7.5 mm		Nylon 0.20	02.50.514		02.50.515
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.408
Longueur, Länge					

Type Ah5 25 mm



Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern	1000 mm	2200 mm	3000 mm
h1 = 46.5mm		Gemengd haar	02.50.026	02.50.029	02.50.031
h2 = 13 mm		Mixed hair	02.50.026	02.50.029	02.50.031
h3 = 5.5 mm		Poil mixte	02.50.026	02.50.029	02.50.031
h4 = 25 mm	-0.0 mm/+ 0.5 mm	Gemischtes haar	02.50.026	02.50.029	02.50.031
b1 = 7.5 mm		Nylon 0.20	02.50.516	02.50.519	02.50.520
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20		02.50.409	02.50.410
Longueur, Länge					


Type Ah5 30 mm



Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern	1000 mm	2200 mm	3000 mm


h1 = 51.5mm		Gemengd haar	02.50.034	02.50.036	02.50.038
h2 = 13 mm		Mixed hair	02.50.034	02.50.036	02.50.038
h3 = 5.5 mm		Poil mixte	02.50.034	02.50.036	02.50.038
h4 = 30 mm	-0.0 mm/+ 0.5 mm	Gemischtes haar	02.50.034	02.50.036	02.50.038
b1 = 7.5 mm		Nylon 0.20	02.50.523	02.50.521	02.50.522
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.411
Longueur, Länge					

Type Ah5 40 mm




Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern			
h1 = 61.5mm			1000 mm	2200 mm	3000 mm
h2 = 13 mm		Gemengd haar	02.50.041	02.50.042	02.50.043
h3 = 5.5 mm		Mixed hair	02.50.041	02.50.042	02.50.043
h4 = 40 mm	-0.0 mm/+ 0.5 mm	Poil mixte	02.50.041	02.50.042	02.50.043
		Gemischtes haar	02.50.041	02.50.042	02.50.043
b1 = 7.5 mm		Nylon 0.20		02.50.524	02.50.525
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.412
Longueur, Länge					


Type Ah5 50 mm



Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern			
h1 = 71.5mm			1000 mm	2200 mm	3000 mm
h2 = 13 mm		Gemengd haar	02.50.044	02.50.045	02.50.046
h3 = 5.5 mm		Mixed hair	02.50.044	02.50.045	02.50.046
h4 = 50 mm	-0.0 mm/+ 0.5 mm	Poil mixte	02.50.044	02.50.045	02.50.046
		Gemischtes haar	02.50.044	02.50.045	02.50.046
b1 = 7.5 mm		Nylon 0.20	02.50.526	02.50.527	02.50.528
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.414
Longueur, Länge					


Gemengd haar mixed hair Poil Mixte Gemischtes haar	Kleur Colour Couleur Farben	Kunstvezel Monofilament Monofilamente Kunstborsten	Kleur Colour Couleur Farben	Profiel Profile Profil Profil
30% Paardenhaar+70% PPN 0.20 30% horsetailhair 70%+PPN 0.20 30% Crin+70% PPN 0.20 30% Rosshaar+70% PPN 0.20	Bruin/Zwart Brown/Black Brun/Noir Braun/Schwarz	Nylon of PPN 0.20 Nylon or PPN 0.20 Nylon ou PPN 0.20 Nylon oder PPN 0.20	Zwart Black Noir Schwarz	 1= Band verzinkt 1= Tie zinc 1= Lien zinc annealed 2= Draad gegloeid 2= Brushwire annealed 2= Fil recuit 2= Draht geglüht 3= Aluminium brut 3= Aluminium brut 3= Aluminium brut

Type Ah8 60 mm



Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern
h1 = 94 mm		1000 mm 2200 mm 3000 mm
h2 = 20 mm		
h3 = 14 mm		
h4 = 60 mm	-0.0 mm/+ 0.5 mm	Nylon 6/0.25 PPN 0.20
b1 = 12 mm		02.80.508
Length, Length	-2.0 mm/ +0.0 mm	
Longueur, Länge		


Type Ah8 80 mm



Maat Size Mesure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern
h1 = 114 mm		1000 mm 2200 mm 3000 mm
h2 = 20 mm		
h3 = 14 mm		
h4 = 80 mm	-0.0 mm/+ 0.5 mm	Nylon 6/0.40 PPN 0.20
b1 = 12 mm		02.80.519 02.80.518
Length, Length	-2.0 mm/ +0.0 mm	

Longueur, Länge

Type Ah8 100 mm



Maat
Size
Mesure
Mass

Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

h1 = 134 mm
h2 = 20 mm
h3 = 14 mm
h4 = 100 mm
b1 = 12 mm

-0.0 mm/+ 0.5 mm

Nylon 6/0.40
PPN 0.20


1000 mm 2200 mm 3000 mm
02.80.509 02.80.510

Lengte, Length

-2.0 mm/ +0.0 mm

Longueur, Länge

Type Ah8 120 mm



Maat
Size
Mesure
Mass

Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

h1 = 154 mm
h2 = 20 mm
h3 = 14 mm
h4 = 120 mm
b1 = 12 mm

-0.0 mm/+ 0.5 mm

Nylon 6/0.40
PPN 0.20

1000 mm 2200 mm 3000 mm
02.80.514 02.80.513

Lengte, Length

-2.0 mm/ +0.0 mm

Longueur, Länge

Gemengd haar
mixed hair
Poil Mixte
Gemischtes haar



Kleur
Colour
Couleur
Farben

Kunstvezel
Monofilament
Monofilamente
Kunstborsten



Kleur
Colour
Couleur
Farben

Profiel
Profile
Profil
Profil



30% Paardenhaar + 70%
PPN 0.20
30% horsetailhair + 70%
PPN 0.20
30% Crin + 70% PPN 0.20
30% Rosshaar + 70% PPN
0.20

Bruin/Zwart
Brown/Black
Brun/Noir
Braun/Schwarz


Nylon of PPN 0.20
Nylon or PPN 0.20
Nylon ou PPN 0.20
Nylon oder PPN 0.20

Zwart
Black
Noir
Schwarz

1= Band verzinkt
1= Tie zinc
1= Lien zinc
1= Band verzinkt
3= Aluminium brut
3= Aluminium
2= Draad gegloeid
2= Brushwire annealed
2= Fil recuit
2= Draht
geglüht
3= Aluminium brut
3= Aluminium brut

brut

Type AF4 15 mm



Maat
Size
Mesure
Mass

h1 = 22 mm

h2 = 5.5 mm

h3 = 15 mm

h4 = 7 mm

b1 = 16 mm

Lengte, Length

Longueur, Länge

Tolerantie
Toleration
Tolérance
Toleranz

-0.0 mm/+ 0.5
mm

-2.0 mm/ +0.0
mm

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern


Nylon 0.20

PPN 0.15

1000 mm 2200 mm 3000 mm

02.40.400

Type AF4 25 mm



Maat
Size
Mesure
Mass

h1 = 32 mm

h2 = 5.5 mm

h3 = 25 mm

h4 = 7 mm

b1 = 16 mm

Lengte, Length

Longueur, Länge

Tolerantie
Toleration
Tolérance
Toleranz

-0.0 mm/+ 0.5
mm

-2.0 mm/ +0.0
mm

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern


Nylon 0.20

PPN 0.15

1000 mm 2200 mm 3000 mm

02.40.401

Type AF4 35 mm



Maat
Size
Mesure
Mass

h1 = 42 mm

Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

Nylon 0.20

1000 mm 2200 mm 3000 mm

h2 = 5.5 mm

PPN 0.15

02.40.401

h3 = 35 mm -0.0 mm/+ 0.5 mm

h4 = 7 mm


b1 = 16 mm

Length, Length -2.0 mm/ +0.0 mm

Longueur, Länge

Gemengd haar mixed hair Poil Mixte Gemischtes haar	Kleur Colour Couleur Farben	Kunstvezel Monofilament Monofilamente Kunstborsten	Kleur Colour Couleur Farben	Profiel Profile Profil Profil
30% Paardenhaar+70% PPN 0.20 30% horsetailhair+70% PPN 0.20 30% Crin+70% PPN 0.20 30% Rosshaar+70% PPN 0.20	Bruin/Zwart Brown/Black Brun/Noir Braun/Schwarz	Nylon of PPN 0.20 Nylon or PPN 0.20 Nylon ou PPN 0.20 Nylon oder PPN 0.20	Zwart Black Noir Schwarz	1= Band verzinkt 1= Tie zinc 1= Lien zinc 1= Band verzinkt 3= Aluminium brut 3= Aluminium brut
				2= Draad gegloeid 2= Brushwire annealed 2= Fil recuit 2= Draht geglüht 3= Aluminium brut 3= Aluminium brut

Type AF5 15 mm



Maat
Size
Messure
Mass

Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

1000 mm 2200 mm 3000 mm

h1 = 22.5mm

Gemengd haar

02.50.000 02.50.001 02.50.002

h2 = 5.5 mm

Mixed hair

02.50.000 02.50.001 02.50.002

h3 = 15 mm -0.0 mm/+ 0.5 mm

Poil mixte

02.50.000 02.50.001 02.50.002

h4 = 7.5 mm

Gemischtes haar

02.50.000 02.50.001 02.50.002

b1 = 18 mm

Nylon 0.20


Length, Length -2.0 mm/ +0.0 mm

PPN 0.20

02.50.400

Longueur, Länge

Type AF5 20 mm



Maat
Size
Messure
Mass


Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

1000 mm 2200 mm 3000 mm


h1 = 27.5mm		Gemengd haar	02.50.004	02.50.005	02.50.006
h2 = 5.5 mm		Mixed hair	02.50.004	02.50.005	02.50.006
h3 = 20 mm	-0.0 mm/+ 0.5 mm	Poil mixte	02.50.004	02.50.005	02.50.006
h4 = 7.5 mm		Gemischtes haar	02.50.004	02.50.005	02.50.006
b1 = 18 mm		Nylon 0.20	02.50.500		02.50.501
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.401
Longueur, Länge					

Type AF5 25 mm



Maat Size Messure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern			
			1000 mm	2200 mm	3000 mm
h1 = 32.5mm		Gemengd haar	02.50.007	02.50.008	02.50.009
h2 = 5.5 mm		Mixed hair	02.50.007	02.50.008	02.50.009
h3 = 25 mm	-0.0 mm/+ 0.5 mm	Poil mixte	02.50.007	02.50.008	02.50.009
h4 = 7.5 mm		Gemischtes haar	02.50.007	02.50.008	02.50.009
b1 = 18 mm		Nylon 0.20	02.50.503	02.50.504	02.50.505
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.402
Longueur, Länge					

Type AF5 30 mm



Maat Size Messure Mass	Tolerantie Toleration Tolérance Toleranz	Artikelnummer Article Numbers Numéros d'Article Artikelnummern			
			1000 mm	2200 mm	3000 mm
h1 = 37.5mm		Gemengd haar	02.50.010	02.50.011	02.50.012
h2 = 5.5 mm		Mixed hair	02.50.010	02.50.011	02.50.012
h3 = 30 mm	-0.0 mm/+ 0.5 mm	Poil mixte	02.50.010	02.50.011	02.50.012
h4 = 7.5 mm		Gemischtes haar	02.50.010	02.50.011	02.50.012
b1 = 18 mm		Nylon 0.20		02.50.506	02.50.507
Lengte, Length	-2.0 mm/ +0.0 mm	PPN 0.20			02.50.403
Longueur, Länge					

Type AF5 40 mm



Maat
Size
Messure
Mass

Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

h1 = 47.5mm

h2 = 5.5 mm

h3 = 40 mm

h4 = 7.5 mm

b1 = 18 mm

Lengte, Length

Longueur, Länge

-0.0 mm/+ 0.5 mm

-2.0 mm/ +0.0 mm

1000 mm 2200 mm 3000 mm

Gemengd haar

Mixed hair

Poil mixte

Gemischtes haar

Nylon 0.20

PPN 0.20

02.50.013 02.50.014 02.50.015

02.50.013 02.50.014 02.50.015


02.50.013 02.50.014 02.50.015

02.50.013 02.50.014 02.50.015

02.50.508

02.50.404

Type AF5 50 mm



Maat
Size
Messure
Mass

Tolerantie
Toleration
Tolérance
Toleranz

Artikelnummer
Article Numbers
Numéros d'Article
Artikelnummern

h1 = 57.5mm

h2 = 5.5 mm

h3 = 50 mm

h4 = 7.5 mm

b1 = 18 mm

Lengte, Length

Longueur, Länge

-0.0 mm/+ 0.5 mm

-2.0 mm/ +0.0 mm

1000 mm 2200 mm 3000 mm

Gemengd haar

Mixed hair

Poil mixte

Gemischtes haar

Nylon 0.20

PPN 0.20

02.50.016 02.50.017 02.50.018

02.50.016 02.50.017 02.50.018

02.50.016 02.50.017 02.50.018

02.50.016 02.50.017 02.50.018

02.50.509 02.50.510 02.50.511

02.50.405